



designed for scientists

## Technical Data

|  |                                |
|--|--------------------------------|
| Type of movement                           | rolling                        |
| Permissible ON time [%]                    | 100                            |
| Speed min (adjustable) [rpm]               | 5                              |
| Speed range [rpm]                          | 0 - 80                         |
| Speed display                              | 7 segment LED                  |
| Speed control                              | 1 RPM steps                    |
| Timer                                      | yes                            |
| Timer display                              | 7 segment LED                  |
| Time setting min. [s]                      | 1                              |
| Time setting max. [min]                    | 5999                           |
| Operating mode                             | timer and continuous operation |
| Rolls, number                              | 10                             |
| Rolls, Ø [mm]                              | 32                             |
| Rolls, length [mm]                         | 327                            |
| Working area length [mm]                   | 350                            |
| Rolls, luffing angle fixed [°]             | 3                              |
| Rolls, max stroke at roll end [mm]         | 16                             |
| Rolls, changeable, removable               | yes                            |
| Dimensions (W x H x D) [mm]                | 380 x 115 x 545                |
| Weight [kg]                                | 6                              |
| Permissible ambient temperature [°C]       | 4 - 50                         |
| Permissible relative humidity [%]          | 80                             |
| Protection class according to DIN EN 60529 | IP 21                          |
| Voltage [V]                                | 100 - 240                      |
| Frequency [Hz]                             | 50/60                          |
| Power input [W]                            | 24                             |
| DC Voltage [V=]                            | 24                             |
| Current consumption [mA]                   | 1000                           |